

DECK HOUSE, SIDE LAMINATE

- Outside
- 1 CSM 300 g/m²
 - 2 CDM 600.300 g/m²
 - 3 Core adhesive, Divilette or equal
 - 4 Divinycell core 30mm, H60
 - 5 Coreprimer
 - 6 CDM 600.300 g/m²
 - 7 CSM 300 g/m²
- Inside

CORE GLUED TO HULL AND RADIUS FILLED WITH BÜFA OLDOPAL VE-0110 VINYLESTER ADHESIVE OR SIMILAR

CORE GLUED TO HULL AND RADIUS FILLED WITH BÜFA OLDOPAL VE-0110 VINYLESTER ADHESIVE OR SIMILAR

BONDING TO SIDE AND DECK: CSM300 + 2 x CDM600.300 LAPPED AND TAPERED AS SHOWN

BONDING TO HULL AND DECK: CSM300 + 2 x CDM600.300 LAPPED AND TAPERED AS SHOWN

BONDING TO HULL AND DECK: CSM300 + 2 x CDM600.300 LAPPED AND TAPERED AS SHOWN

RUBBING STRAKE: Type: Purfender, teknik Denmark

MAIN DECK LAMINATE

- Outside
- 1 CSM 300 g/m²
 - 2 CDM 600.300 g/m²
 - 3 CDM 600.300 g/m²
 - 4 Core adhesive, Divilette or equal
 - 5 Divinycell core 40mm, H60
 - 6 Coreprimer
 - 7 CDM 600.300 g/m²
 - 8 CDM 600.300 g/m²
 - 9 CSM 300 g/m²
- Inside

D
DETAIL D

1	2005-09-24	Sun deck wider longer, gunwhale height	e.s.	e.s.
ISSUE	DATE	MODIFICATION	DRAWN BY	APPROVED

THIS DRAWING MUST NOT BE REPRODUCED OR USED FOR ANY PURPOSE, OTHER THAN IN CONJUNCTION WITH THE BOAT OR DESIGN FOR WHICH IT WAS DRAWN, WITHOUT THE DESIGNER'S WRITTEN CONSENT.

THE INFORMATION CONTAINED HEREON IS STRICTLY CONFIDENTIAL AND A PERSON USING OR DISCLOSING THE INFORMATION CONTAINED HEREON IN BREACH TO THIS SHALL BE SUBJECT TO AN ACTION TO ENJOIN SUCH USE AND A SUIT FOR DAMAGES.

THE BUILDER MUST CHECK DIMENSIONS AND CONTENT GIVEN ON THE DRAWING AND ADVISE THE DESIGNER OF ANY DISCREPANCIES BEFORE COMMENCING CONSTRUCTION.

SEALOUNGE
Construction detail: Toerail + Maindeck + Deckhouse side

DATE 2005-01-30 DRAWN BY E. Segerlind

Eric R. Segerlind DESIGN

Eric R. Segerlind Design Phone: +46(0)70-569 07 36
473 91 HENÅN, SWEDEN email: eric.segerlind@telia.com

DRAWING NUMBER: SL-CD 3

SCALE: 1:5 DIMENSION: MM

ISSUE: 1 SHEET: 1 OF 1

Telefon +46 706 22 23 35
www.sealounge.se
jacob@sealounge.se

